

Photodecolorization of direct yellow 86 (2-Solamine) by using zinc oxide nanosized deposited on glass beads

H. R. Ebrahimi^{*1}, M. Modrek¹ and S. Joohari²

¹Department of Chemistry, Majlesi Branch, Islamic Azad University, Isfahan, Iran

²Department of Basic Sciences, Yasouj Branch, Islamic Azad University, Yasouj, Iran
hebrahimi2010@gmail.com*

Abstract

In this research, photocatalytic decolorization of Direct yellow 86 (2-Solamine) in water in alkaline and neutral media under external UV light irradiation by zinc oxide nano-sized catalysts on granule glass as a semiconductor photocatalyst is described. The photodecomposition rates have been found to be different by applying the different atmospheres through degradation process. The effect of four type atmospheres including air, nitrogen, oxygen and argon was investigated. Kinetics of decolorization was investigated and pseudo-first order kinetic was found under oxygen and argon atmosphere. Finally it was found that photodecomposition using ZnO nano-sized layered on glass is a new alternative route for efficient wastewater treatment.

Keywords: Nano-sized zinc oxide, photodecomposition, photocatalyst, sol-gel.

Introduction

Textile industries produce large amount of colored dye effluents which are toxic that induce a lot of damage to the environment. Various chemical and physical methods such as precipitation, adsorption, air stripping, flocculation, reverse osmosis and ultrafiltration can be used for removal of these waste waters. Semiconductor photocatalysis is a promising technique, for photodegradation of various hazardous chemicals that are encountered in waste waters. The major advantage of this technique is that, it can degrade (detoxify) various complex organic chemicals, which has not been affected by some other methods. The general classes of compounds that have been degraded by semiconductor photocatalysis include: alkanes, haloalkanes, aliphatic alcohols, carboxylic acids, alkenes, aromatics, halo aromatics, polymers, surfactants, herbicides, pesticides and dyes. Heterogeneous photocatalytic oxidation (PCO) is an effective method to remove low concentrations of organic contaminants (Lakshmi *et al.*, 1997; Mills *et al.*, 1997; Couto *et al.*, 2002; Habib *et al.*, 2005, 2006; Ebrahimi 2008). In a waste treatment application of photocatalyst it would be more suitable if the catalyst was immobilized, so the material would not have to be separated from solution. Thin films are one of the most important materials due to technological applications (Blount *et al.*, 2001). It has also been reported that ZnO exhibited higher activity than TiO₂ in the photocatalytic degradation of specific dyes (Gouvêa *et al.*, 2000; Kansalet *et al.*, 2007; Sobana *et al.*, 2007; Barreca *et al.*, 2009). Thin film photocatalysts with their high photocatalytic ability, high stability, and convenient reuse have received more and more attention (Habib *et al.*, 2010a, 2010b, 2009a, 2009b, 2008; 2011a, 2011b, 2011c, 2011d). As part of our goal to produce zinc oxide thin film on granule glass by sol-gel coating method, in this paper, a commercial granule glass was successfully used as substrate to prepare nano-sized

zinc oxide thin film. The binary zinc oxide /Glass films have been employed in photocatalytic decolorization of direct yellow 86 in aqueous solutions. Decolorization of dye is measured by spectrophotometer (Perkin Elmer, Lambda 25).

Experimental

General

All the chemicals were analytic grade reagents without further purification and purchased for Merck Company (Zn(CH₃COO)₂·2H₂O 99.5% , HCl 37% , NaOH 98%). The dye (C.I. Direct yellow 86) was obtained from Youhao (China). The coating substrate (granule glass) was pre-heated at 275°C for 10 min in air after each coating. The sol-gel coating was made usually a day after the sol solution was prepared.

Film deposition: Nanosized zinc oxide thin film was supported on glass beads (diameter 3mm) by the method as follows. Glass beads were pretreated with dilute hydrofluoric acid (5% v/v) for 24 h and washed thoroughly with distilled water, making a rough surface for better contact of zinc oxide thin film on it. Zinc oxide binary sol was added to the glass beads placed in a funnel and the excess of it was removed. They were subsequently placed in the furnace and pre-heated at 275°C for 10 min and then post-heated at 450°C for 1 hour. The deposition was repeated for 5 times to obtain films with different thickness (Ebrahimi, 2008).

Photocatalytic measurement

The photocatalytic decolorization experiments were carried out in a simple oxidation reactor, placed in a 25°C water bath. 5 g of granule glass with 5-layer that placed in 25 mL 25 ppm dyes solution and was irradiated with four 8W lamp (Philips; 365nm) placed 5 cm above the solutions. For pH adjustment 0.01 M NaOH and HCl solution was used to reach desired pH. Concentration was measured by spectrophotometer (Perkin Elmer, Lambda 25). In all experiments 25 mL of 25 ppm dyes solution were used with stirring during the irradiation.

Results and discussion

Characterization techniques for thin films

The structure and crystalline size were determined by XRD diffraction (Bruker D8 advanced X-ray diffractometer: Cu α radiation). X-ray diffraction shows

Fig. 1. SEM of Nano-sized zinc oxide thin film Supported on glass beads.





Fig. 2. Residual concentration of Direct Yellow 86 dye (25ppm), in de-ionized water after photocatalytic decolorization under UV irradiation in alkaline medium(pH=10)(A) and neutral pH(B) under various atmosphere.



zinc oxide structure with c-axis orientation (002) (Ebrahimi, 2008). The surface of the films was observed by scanning electron microscopy (SEM) with a Philips XL30 (Fig.1).


Photocatalytic activity

Evaluation of the granule glass coated with nano-sized zinc oxide as potential photocatalyst for water pollutant purification was based on the decolorization of a dye. Fig.2 show the decolorization of Direct Yellow 86 dye (25 ppm) under UV irradiation (365nm) on granule glass coated with nano-sized zinc oxide with 5-layers at alkaline(Fig.2 A) and neutral pH(Fig.2 B) respectively.

As shown in Fig.2 in alkaline pH(A), the decolorization rate is decreased in order of Ar, air, N₂ and O₂ respectively while in neutral pH(B), the order of decolorization rates is O₂, air, Ar and N₂ respectively. For evaluation of decolorization rate constant, the $\ln(C_0/C_t)$ versus time were sketched as seen in Fig.3A and 3B.

As depicted in figures of 3A and 3B, both in alkaline and in neutral medium, the plots are relatively linear and therefore fitted by pseudo-first order kinetics under O₂ and N₂ atmosphere. For other atmosphere pseudo-first order kinetics is not fitted for dye decomposition. The rate

Fig.3. $\ln(C_0/C_t)$ versus time(h) for photocatalytic decolorization under UV irradiation in alkaline medium(pH=10)(A) and neutral pH(B) under various atmosphere.



constants in alkaline and neutral media under O_2 and N_2 are $0.13\ h^{-1}$, $0.169\ h^{-1}$ and $0.253\ h^{-1}$, $0.098\ h^{-1}$ respectively.

Conclusion

In this work, we reported preparation of nano-sized zinc oxide thin film on glass beads. The deposition was repeated for 5 times to obtain films with different thickness. Then photocatalytic activity of it, at various atmospheres: air, nitrogen, oxygen and argon, was investigated. The titled dye was decolorized efficiently by use of this photocatalytic system. Among considered atmospheres, orders of kinetics were found that to be pseudo first order at nitrogen and oxygen. Kinetics of decolorization was investigated and pseudo-first order kinetic was found under O_2 and N_2 atmosphere. Easily preparation, handling and separation of photocatalyst from solution are some advantages of this system. Improvement of photocatalytic activity of this system by doping of some metal on catalyst surface is under investigation in our library.

Reference

- Barreca D, Gasparotto A, Maccato C, Tondello E, Stangar UL and Patil SR (2009) Photoinduced superhydrophilicity and photocatalytic properties of ZnO nanoplatelets. *Surf. Coat. Technol.* 203, 2041-2045.
- Blount MC, Kim DH and Falconer JL (2001) Transparent thin-film TiO_2 photocatalyst with high activity. *Environ. Sci. Technol.* 32, 2988-2994.
- Couto SR, Dominguez A and Sanroman A (2002) Photocatalytic degradation of dyes in aqueous solution operating in a fluidised bed reactor. *Chemosphere.* 46, 83-86.
- Ebrahimi HR (2008) Preparation of metal catalysts on granule glass for degradation of textile dyes as environmental contaminants. *World Appl. Sci. J.* 3 (5), 738-741.
- Gouvêa CAK, Wypych F, Moraes SG, Durán N, Nagata N and Peralta-Zamora P (2000) Semiconductor assisted photocatalytic degradation of reactive dyes in aqueous solution. *Chemosphere.* 40, 433-440.
- Habibi MH, Hassanzadeh A and Mahdavi S (2005) Photocatalytic degradation of textile azo dyes in water. *J. Photochem. Photobiol. A: Chem.* 172, 89-96.
- Habibi MH, Hassanzadeh A and Zeini-Isfahani A (2006) Effect of dye aggregation and azohydrazonetautomerism on the photocatalytic degradation of Solophenyl red 3BL azo dye using aqueous TiO_2 suspension. *Dyes & Pigments.* 69, 111-117.
- Habibi MH and Khaledi Sardashti M (2008) Preparation and proposed mechanism of nanostructure ZnO thin film with highest c-axis orientation. *Intl. J. Nanosci. Nanotech.* 4, 13-16.22.
- Habibi MH and Zendehdel M (2010a) Fabrication and characterization of self-assembled multilayer nanostructure titania with high preferential (101) orientation on alumina thin films by layer by layer dip-coating method. *Curr. Nanosci.* 6, 642-647.
- Habibi MH and Mokhtari R (2011b) Novel sulfur-doped niobium pentoxide nanoparticles: fabrication, characterization, visible light sensitization and redox charge transfer study. *J. Sol-Gel Sci. Technol.* 59, 352-357.
- Habibi MH and Mikhak M (2011c) Synthesis of nanocrystalline zinc titanate by sol-gel: Optimization of heat treatment condition for red shift sensitization. *Curr. Nanosci.* 7, 603-607.
- Habibi MH and Sheibani R (2010b) Preparation and characterization of nanocomposite ZnO-Ag thin film containing nano-sized Ag particles: influence of preheating, annealing temperature and silver content on characteristics. *J. Sol-Gel Sci. Technol.* 54, 195-202.
- Habibi MH and Mohammad Khaledi Sardashti (2009b) Photocatalytic mineralization of Azo dyes using nanostructure ZnO thin film coated on glass bead. *J. Adv. Oxid. Technol.* 12 (2), 231-237.
- Habibi MH and Zendehdel M (2011d) Synthesis and characterization of titania nanoparticles on the surface of microporous perlite using sol-gel method: Influence of titania precursor on characteristics. *J. Inorg. Organomet. Polym.* 21, 634-639.
- Habibi MH and Mokhtari R (2011e) Novel sulfur-doped niobium pentoxide nanoparticles: fabrication, characterization, visible light sensitization and redox charge transfer study. *J. Sol-Gel Sci. Technol.* 59, 352-357.
- Habibi MH and Askari E (2011a) The effect of operational parameters on the photocatalytic degradation of C.I. Reactive Yellow 86 textile dye using manganese zinc oxide nanocomposite. *Thin Films, J. Adv. Oxid. Technol.* 14(2), 190-105.
- Kansal SK, Singh M and Sud D (2007) Studies on photodegradation of two commercial dyes in aqueous phase using different photocatalysts. *J. Hazard. Mater.* 141, 581-590.
- Lakshmi BB, Dorhout PK and Martine CR (1997) Sol-Gel template synthesis of semiconductor nanostructures. *Chem. Mater.* 9, 857-862.
- Mills A and Le Hunte S (1997) An overview of semiconductor photocatalysis. *J. Photochem. Photobiol. A: Chem.* 108, 1-35.
- Nasr-Esfahani M and Habibi MH (2009a) A comparative study on physicochemical properties and photocatalytic behavior of two different nanostructure composite TiO_2 films coated on glass substrate. *Desalin. Water Treat.* 3, 64-72.
- Sobana N and Swaminathan M (2007) The effect of operational parameters on the photocatalytic degradation of acid red 18 by ZnO. *Sep. Purif. Technol.* 56, 101-107.